

LAW OFFICES

STORINO, RAMELLO & DURKIN

9501 WEST DEVON AVENUE
ROSEMONT, ILLINOIS 60018

(847) 318-9500

FACSIMILE (847) 318-9509

DONALD J. STORINO
MICHAEL K. DURKIN
RICHARD J. RAMELLO
NICHOLAS S. PEPPERS
THOMAS M. BASTIAN
ANGELO F. DEL MARTO
JAMES E. MACHOLL
BRIAN W. BAUGH
ANTHONY J. CASALE
ANDREW Y. ACKER
PETER A. PACIONE
MELISSA A. MIROBALLI
MATTHEW G. HOLMES
KATHLEEN M. FELDNER

MICHAEL R. DURKIN
THOMAS J. HALLERAN
ERIN C. MORIARTY

JOSEPH G. KUSPER
MARK R. STEPHENS
BRYAN J. BERRY
ANN M. WILLIAMS
LEONARD P. DIORIO
RICHARD F. PELLEGRINO
DONALD J. STORINO II

OF COUNSEL

IN REPLY REFER TO FILE NO.

August 20, 2013
Via Regular Mail

Mr. Stephen T. Avery
6835 Fairview Avenue
Downers Grove, Illinois 60516

EP-1

Re: *Freedom of Information Act Request*

Dear Mr. Avery:

The Village of Elmwood Park is in receipt of your August 13, 2013 Illinois Freedom of Information Act (5 ILCS 140/1 *et seq.*) (hereinafter referred to as "FOIA") request for the following:

FIRE REPORT FOR: 2722 N. 74th AVENUE,
ELMWOOD PARK, IL 60707

(RETAINED BY AMERICAN FAMILY INS. TO CONDUCT C&O
INVESTIGATION, CLAIM #00-855-027180).

Enclosed are records responsive to your request. However, certain information in the records being provided has been determined to be exempt from disclosure under FOIA, and that information has been redacted from the records being provided.

Section 7(1)(b) of FOIA provides that "private information" is exempt from disclosure. "Private information" is defined in FOIA as, "unique identifiers, including a person's social security number, driver's license number, employee identification number, biometric identifiers, personal financial information, passwords or other access codes, medical records, home or personal telephone numbers, and personal email addresses. Private information also includes home address and personal license plates, except as otherwise provided by law or when compiled without possibility of attribution to any person." 5 ILCS 140/2(c-5). Consequently, certain unique identifiers, including employee identification numbers, home or personal telephone

STORINO, RAMELLO & DURKIN

Mr. Stephen T. Avery
August 20, 2013
Page 2


numbers, and names attributable to home addresses, have been redacted from the records being provided.

The person responsible for the decision to deny a portion of your request is the Village of Elmwood Park Freedom of Information Officer, Gina Pesko. In accordance with Section 9(a) of FOIA, you are hereby notified that you have the right to file a request for review regarding the decision made by the Village of Elmwood Park Freedom of Information Officer with the Public Access Counselor at the Illinois Attorney General's Office. You can file your request for review with the Public Access Counselor by writing to:

Sarah Pratt, Acting Public Access Counselor
Office of the Attorney General
500 South 2nd Street
Springfield, Illinois 62706
Phone: 312-814-5526
Fax: 217-782-1396
E-mail: publicaccess@atg.state.il.us

Also, you are notified that you have the right to judicial review regarding the decision made by the Village of Elmwood Park Freedom of Information Officer pursuant to Section 11 of FOIA.

Sincerely,


Erin C. Moriarty
One of the Attorneys for
the Village of Elmwood Park

Enclosures

A CN212 IL 8/10/13 Both Stations 03-2013-0001836-000 NFIRS - 1
 FDID State Incident date Station Incident number Basic

B No 8107 NE QUADRANT ELPK Street address Yes
 Alternative location Census tract Location Emergency
 2722 74TH AVE, ELMWOOD PARK, IL, 60707
 Address

C Building fire
 Incident type

D (MA) Auto aid received
 Aid given or received

E1	Date	Time	E2 GOLD SHIFT	NORTH OF TRACKS
Alarm	8/10/13	17:22:10	Shift	Alarms District
Dispatch	8/10/13	17:23:35		
Enroute	8/10/13	17:24:06		
Arrival	8/10/13	17:26:00		
Controlled	0/00/00	0:00:00		
Last unit cleared	8/10/13	19:19:59		

F Extinguishment by fire service personnel Salvage & overhaul
 Primary action taken (1) Additional action taken (2)

G1	Yes	Apparatus	Personnel	No	G2	Losses	Value
Apparatus/	Suppression	5	6	Resource counts	Property	40000	450000
personnel	EMS	1	2	include aid	Contents	5000	50000
form used	other	0	0	received resources			

H1	Injuries	Deaths	H3
Fire service	0	0	None
Civilian fire	0	0	Hazardous materials release

I Not mixed use | J Multifamily dwelling
 Mixed use property | Property use

K1 DISCONNECTED Reporting party
 Name Involvement type Phone number
 2722 74TH AV, ELMWOOD PARK, IL, 60707 *ERROR 0/00/0000 *ERROR*
 Address Gender Age Birth date Race

M KEVIN MILLER Shift Commander Shift Commander 8/10/13
 Officer in charge Position or rank Assignment Date

A		CN212 IL	8/10/13	Both Stations	03-2013-0001836-000	NFIRS - 2
		FDID State	Incident date	Station	Incident number	Fire
B1		3		C	None	
		Estimated number of residential units		On-site material 1		
B2		1				
		Number of buildings involved				
B3		None				
		Acres burned (outside fires)				
D1		Cooking area, kitchen			E1 Cause undetermined after investigation	
		Area of fire origin			Cause of ignition	
D2		Undetermined			E2 None	
		Heat source			Factor 1 contributing to ignition	
D3		Cooking materials, including edible materials			E3 None	
		Item first ignited			Human factors contributing to ignition	
		No				
		Spread confined to object of origin				
D4		Cooking oil, transformer or lubricating oil				
		Type of material first ignited				
F1		None			F2	
		Equipment involved in ignition				
G		Fire suppression factor 1				
H1		None			H2	
		Mobile property involved			Mobile property type	
					Mobile property make	
					Mobile property model	
					0000	
					Year License plate State VIN	

=====
A CN212 IL 8/10/13 Both Stations 03-2013-0001836-000 NFIRS - 3
FDID State Incident date Station Incident number Structure fire
=====

I1 Enclosed building | I2 In normal use
Structure type | Building status
=====

I3 3 0 | I4 0
Stories at/above grade Stories below grade | Total square feet
=====

J1 2 No | J3 Minor Significant Heavy Extreme
Story of fire origin Below grade | Number of stories (1-24%) (25-49%) (50-74%) (75-100%)
damaged by flame 1 0 0 0
=====

J2 Confined to floor of origin |
Fire spread |
=====

K Yes
No flame spread OR same as material first ignited OR unable to determine
=====

L1 Present | L3 Battery only | L5 Detector alerted occupants, occupants
Presence of detectors | Detector power supply | Detector effectiveness
=====

L2 Smoke | L4 Detector operated
Detector type | Detector operation
=====

M1 None present
Presence of extinguishing system
=====

=====

A	CN212 IL	8/10/13	Both Stations	03-2013-0001836-000	NFIRS - 9/10
	FDID State	Incident date	Station	Incident number	Apparatus/Personnel

=====

B	Apparatus	Type		Personnel	Use	Action taken	Emergency
	EPME	Engine		0	Suppression		Yes
		Dispatched	8/10/13	17:25:30			
		Enroute	8/10/13	17:30:09			
		At Scene	8/10/13	17:34:12			
		In Service	8/10/13	19:19:59			

=====

B	Apparatus	Type		Personnel	Use	Action taken	Emergency
	EPMT	Truck or aerial		0	Suppression		Yes
		Dispatched	8/10/13	17:25:30			
		Enroute	8/10/13	17:30:10			
		At Scene	8/10/13	17:34:09			
		In Service	8/10/13	18:11:28			

=====

B	Apparatus	Type		Personnel	Use	Action taken	Emergency
	944	ALS unit		2	EMS		Yes
		Dispatched	8/10/13	17:34:03			
		Enroute	8/10/13	17:34:03			
		At Scene	8/10/13	17:38:33			
		In Service	8/10/13	18:37:21			

=====

Employee		Assignment	Position	Action taken
	JOHN BANKS	Paramedic	Paramedic	
	JASON VACCARO	Paramedic	Paramedic	

=====

B	Apparatus	Type		Personnel	Use	Action taken	Emergency
	946	Engine		3	Suppression		Yes
		Dispatched	8/10/13	17:23:35			
		Enroute	8/10/13	17:24:56			
		At Scene	8/10/13	17:27:34			
		In Service	8/10/13	18:37:21			

=====

Employee		Assignment	Position	Action taken
	MICHAEL TERZO	Firefighter	Firefighter	
	MATTHEW CONVERSA	Firefighter	Firefighter	
	DANIEL DIPRIZIO	Engineer	Firefighter	

=====

B	Apparatus	Type		Personnel	Use	Action taken	Emergency
	947	Engine		2	Suppression		Yes
		Dispatched	8/10/13	17:23:35			
		Enroute	8/10/13	17:24:06			
		At Scene	8/10/13	17:28:45			
		In Service	8/10/13	18:52:33			

=====

Employee		Assignment	Position	Action taken
	FRANK KUCERA	Lieutenant	Lieutenant	
	KEVIN FERRARO	Engineer	Probationary Firefig	

=====

B	Apparatus	Type		Personnel	Use	Action taken	Emergency
	949	Chief officer car		1	Suppression		Yes

=====

=====

A	CN212 IL	8/10/13	Both Stations	03-2013-0001836-000	NFIRS - 9/10
	FDID State	Incident date	Station	Incident number	Apparatus/Personnel

=====

B	Apparatus	Type	Personnel	Use	Action taken	Emergency
	949	Chief officer car	1	Suppression		Yes
		Dispatched	8/10/13	17:25:48		
		Enroute	8/10/13	17:25:52		
		At Scene	8/10/13	17:26:00		
		In Service	8/10/13	19:19:59		

Employee	Assignment	Position	Action taken
KEVIN MILLER	Shift Commander	Shift Commander	

=====

ELMWOOD PARK FIRE DEPARTMENT
Prepared: 8/10/13, 22:45:29
Program: FI200L

Incident Report

```
=====
A  CN212 IL      8/10/13  Both Stations      03-2013-0001836-000
   FDID State   Incident date Station          Incident number      Additional information
=====
Day of week . . . . . : 007 Saturday
Common name . . . . . :
Method of Alarm . . . . . : 7 Telephone tie-line to fire department
```


=====

A	CN212 IL	8/10/13	Both Stations	03-2013-0001836-000	
	FDID State	Incident date	Station	Incident number	Narratives

=====

B Narrative type: Incident

Narrative title	Entry date	Entered by employee
CAD: DISPATCH INFORMATION 130006775 BUILDING FIRE 2ND FLOOR KITCHEN FIRE	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM MEHL NORWOOD PARK NOTIFIED	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM CLARE 2ND CALLER YOUHN TX/ 708 452 9306	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA (17:26:35 ON 08/10/13) NWP UNITS EN RTE	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA (17:26:35 ON 08/10/13) RG EN RTE	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA (17:28:06 ON 08/10/13) PER 949 CONFIRMED BRING IN FRANKLIN PARK	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA (17:30:53 ON 08/10/13) FRANKLIN PARK NOTIFID VIA PHONE	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA (17:30:53 ON 08/10/13) PER 949 NEED AMBULANC FOR SMOKE INHALATION RF TO COME IN (17:33:05 ON 08/10/13) NWP 111 AND 104 ON SCN	8/10/13	
Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA 1729HRS REQ FOR FRANKLIN PARK (17:30:53 ON 08/10/13) PER 949 NEED AMBULANC FOR SMOKE INHALATION RF TO COME IN (17:33:05 ON 08/10/13) NWP 111 AND 104 ON SCN	8/10/13	

=====

A	CN212 IL	8/10/13	Both Stations	03-2013-0001836-000	
	FDID State	Incident date	Station	Incident number	Narratives

=====

B Narrative type: Incident

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

1729HRS ALSO REQ FOR CALLBACK FOR STATION COVERAGE

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

FRANKLIN PARK APPROACHING THE SCN (17:40:21 ON 08/10/13)

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

(17:40:41 ON 08/10/13) FRANKLIN PARK ENGINE 1 ON SCN

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

(17:44:50 ON 08/10/13) INV BOX REQUESTED DIV 20 HANDELING

Narrative title	Entry date	Entered by employee
CAD: CM MEHL	8/10/13	

UNABLE TO DO A CALL BACK YET BECAUSE I WAS LOCKED OUT OF THE SYSTEM FOR A WRONG PASSWORD

Narrative title	Entry date	Entered by employee
CAD: CM MEHL	8/10/13	

CALL BACK COMPLETED

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

1807HRS DIV 20 ADVISED 3 INV RESPONDING AND PHOTO UNIT NOT AVAIL, PER 949 3 INVST OK BUT DOES NEED PHOTO UNIT (18:09:24 ON 08/10/13) NWP 111 AND 104 RELEASED BY COMAND

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

(18:12:55 ON 08/10/13) PER 949 ALL AUTO AIDE RETURNED AND ALL EPFD UNITS STILL ON SCN

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

(18:16:22 ON 08/10/13) RG RETURNING

=====

A	CN212 IL	8/10/13	Both Stations	03-2013-0001836-000	
	FDID State	Incident date	Station	Incident number	Narratives

=====

B Narrative type: Incident

Narrative title	Entry date	Entered by employee
CAD: CM HOFSTRA	8/10/13	

(18:25:17 ON 08/10/13) FIU ON SCN

Narrative title	Entry date	Entered by employee
CAD: CM MEHL	8/10/13	

BERKELEY RESPONDING WITH A PHOTO

Narrative title	Entry date	Entered by employee
Incident Narrative	8/10/13	KEVIN MILLER

EPFD called to 2722 74th Avenue for kitchen fire on 2nd floor.
1 3/4 inch hose charged with tank and hydrant water from engine #946.
Interior crews extinguished fire with less than 100 gallons of water.
Primary and secondary searches performed by RGF, Salvage and Overhaul
performed by all responding departments. (RGFD,NOPK,FPPD,) River
Forest Fire Department responded with ambulance to check out resident
of 2nd floor. (Refusal Obtained) Investigator Box called on
extinguishment. Dog on third floor taken out of building by RGF and
Owner. No Injuries to Human or Animal.

1st Floor Resident

2nd Floor Resident

- Owner

3rd Floor Resident

Insurance Agent - John Serpio
American Family Insurance